

PRODUCT CATALOGUE



**SUSTAINABLE PRODUCTION AND MAINTENANCE OF HIGH QUALITY
STANDARD AND BESPOKE METAL LOAD CARRIERS**





Contents

About Hoza	2
Sustainability at Hoza.....	4
Services	7
Rental of load carriers.....	8
Repair & maintenance	9
Product development	11
■ Standard Roll Containers.....	12
■ Nestable Roll Containers	33
■ Security Roll Containers	40
■ Order Picking and eCommerce Trolleys	46
■ Isotherm Roll Containers	55
■ Plant Trolleys / Flower Trolleys / Danish Trolleys	59
■ Laundry Trolleys	64
■ Dairy and Fresh Food Containers	70
■ Furniture and Transport Trolleys	74
■ Dollies.....	77
■ Glass Stillages.....	82
■ Custom Made Storage Systems	88
■ Metal Boxes.....	94
■ Metal Pallet Converters	101
■ Metal Storage Systems.....	107
■ Roll Container Covers	117
■ Castors	121



 **Scheemda,
Nederland**

 **24,000 m²**

Hoza Logistic Solutions

Hoza is a leading supplier of roll containers and metal static load carriers. From the branch in Scheemda (NL) customer-specific products are developed and produced. Hoza also provides services such as repair, maintenance and rental from multiple repair depots in Europe or at the customer's location.

The origin of Hoza

Hoza was founded in 1938 by the Van der Horst family in Zaandam, where the name "Hoza" originates. In the 1930s, Hoza produced mainly toys and industrial products. After World War II, Hoza became the first company in the Netherlands to transition to the production of wooden pallets. This marked the beginning of a wide range of wooden cargo carriers. Remarkably, over 65 years later, Hoza became part of the Rotom Group, one of Europe's largest pallet suppliers.

Hoza strives to add value for its customers by optimizing the logistics chain. The company offers the most efficient and sustainable supply chain solutions, either by extending the lifespan of load carriers or through the development of new, more durable and ergonomic products. This allows Hoza's customers to operate more efficiently and remain focused on their core business, thanks to the close and collaborative partnership Hoza fosters.

Operating from a modern, highly automated production facility of over 24,000 m² in Scheemda, Hoza serves customers throughout Europe and beyond. Hoza excels in all aspects of designing and producing roll containers and static metal load carriers. With a team of highly skilled employees in production, engineering, prototyping, and sales, Hoza translates every need and requirement into the ideal product. In addition, Hoza helps customers manage logistics peaks through its rental service, offering a large fleet of metal load carriers for short-term hire.

Hoza is a leading international company specializing in the development and production of customer-specific roll containers, innovative standard roll containers, and a variety of other metal load carriers. In 2022, Hoza expanded its operations with the acquisition of Eurobok B.V., a specialist in cargo carriers for glass and window transport.

The core values of Hoza

At Hoza, the customer always comes first. Through regular and close contact, we ensure that we stay closely connected to our customers. We place high value on product quality and guarantee that essential processes and products meet the highest standards. Reliability is key—meeting agreements is crucial, as many customer processes depend on Hoza's production. Hoza's employees remain up-to-date with industry developments and maintain their technical expertise, aiming to become the market leader in the production of metal logistics carriers in Europe. The company is always focused on delivering tailor-made solutions.

"Together we achieve more" is the true meaning of the Hoza Team.

At Hoza, our mission is to optimize profit throughout the entire logistics chain for all our customers and end users. We achieve this by developing high-value logistical resources that positively impact the Total Cost of Ownership (TCO) and producing at the lowest possible cost. This creates a win-win situation in every sense of the word.



Watch video about Hoza

Sustainability

As a manufacturer of metal roll containers and cargo carriers, Hoza has taken a bold step towards environmentally friendly production and promoting sustainability in the sector. Let us delve deeper into our efforts and commitment to a clean, green future.



Sustainability at Hoza

Footprint

Our footprint refers to the direct impact we have on the environment through the design, production, and use of our products.

Design and Ergonomics

Sustainability starts with the design of our roll containers. Our engineers work closely with the sales team and customers to develop innovative and sustainable products. This process also considers user health and safety, material choices, and recycling potential. We strive to create lightweight, smart designs to reduce energy consumption during transportation.

Material Selection

We consider the weight, origin, and sustainability of materials when designing our containers. Therefore we consciously select materials that can be recycled, such as steel and aluminum. Additionally, we extend the lifespan of our products by applying post-production treatments like galvanization.

Long-Term Use and Recycling

Hoza roll containers have a long lifespan due to the use of durable materials and post-production treatments. However, when containers reach the end of their life cycle, we collaborate with customers to find the best solution. Options include retrofitting existing roll containers with new parts or integrating them into our pool or rental systems. If reuse is not possible, materials are carefully separated for recycling, helping to minimize waste streams.

Handprint

Our handprint focuses on the positive impact we can have by making sustainable choices and forming sustainable partnerships with our customers. We aim not only to reduce environmental damage but also to actively contribute to a more sustainable future.

One of our key initiatives is the reuse of load carriers. By using load carriers multiple times, we minimize waste. Additionally, we offer a rental model for Returnable Transport Items (RTIs), allowing customers to rent load carriers, which promotes more efficient resource use

and reduces costs. To extend product lifespan, Hoza provides repair and maintenance services, including cost reports, giving customers insight and advice on damage prevention. Skilled repairs not only extend the lifespan of load carriers but also reduce the need for new raw materials. We also facilitate the reuse and recycling of load carriers, ensuring that decommissioned products are either redeployed or efficiently recycled through disassembly and material separation. This completes our circular model and enhances sustainability.

Our products are also designed with a focus on sustainability and ergonomics, ensuring they are not only efficient to use but also have minimal environmental impact. Finally, we utilize Track & Trace technology to manage all our load carriers, ensuring their optimal use and accurate management.

Certifications and Quality Standards

Our commitment to quality and sustainability is reinforced by our recognized certifications. We are proud of our EcoVadis Gold certification, placing us among the top companies globally in terms of sustainability and social responsibility. This certification acknowledges our efforts in sustainable procurement, environmental practices, ethics, and labor practices. In addition, we are both ISO 9001 and ISO 14001 certified. ISO 9001 demonstrates our commitment to quality management and customer satisfaction, while ISO 14001 recognizes our environmental management systems. These certifications ensure that Hoza meets the highest international standards for quality and sustainability.

Future-Oriented Sustainability

At Hoza, sustainability is not a static goal but an ongoing process of improvement and innovation. We regularly conduct internal and external sustainability assessments to optimize our processes and procurement practices. We continue to invest in research and development to discover and implement more sustainable materials and production methods.





Services

Hoza offers a range of services to optimize your supply chain, fully tailored to your specific needs. We are confident that our services provide genuine added value in streamlining and improving your supply chain operations.

Rental of load carriers

Why rent roll containers?

During peak periods in a customer's logistics chain, Hoza specializes in delivering efficient, sustainable, and cost-effective solutions. These logistics solutions are typically provided the next working day after approval. For example, roll containers can be rented from our carefully curated rental pool, including:

- 2-sided roll containers
- 3-sided roll containers
- 4-sided roll containers
- Anti-theft roll containers
- Isothermal roll containers
- Danish trolleys

The benefits

- ✓ No need for significant upfront investment
- ✓ Flexibility to adjust based on demand
- ✓ Efficient use of storage space
- ✓ High-quality, durable containers
- ✓ Environmentally sustainable solution



Repair & maintenance

Repair services

Repairs are often necessary due to damage, improper use, or inadequate maintenance. Hoza provides professional repair services for logistics equipment, including roll containers, and other transport solutions, ensuring that your logistics chain remains operational. Repairing these items is typically the most cost-effective and sustainable option, demonstrating your company's commitment to sustainability. By maintaining transport and storage equipment in good condition, their lifespan can be extended, leading to immediate cost savings and enhanced sustainability. In addition to minimizing failures, timely repairs of roll containers and other load carriers also create a safer working environment. Our skilled technicians are ready to assist you.

Maintenance

The wheels of roll containers and lashing straps are particularly prone to wear, potentially creating hazardous situations or ergonomic concerns. Therefore, it's essential to maintain these components properly and replace them promptly when necessary. An aging fleet of containers requires more frequent preventive maintenance to ensure that the quality of the roll containers meets desired standards. Generally, replacing an entire fleet of load carriers demands a larger investment. However, with timely maintenance, this necessity can be postponed.





Product development



From idea to prototype

At Hoza, we use modern design software and 3D printing to develop prototypes that are as sustainable as possible. Our account managers begin by mapping out customer needs. If a solution isn't immediately available, they collaborate with our product specialists to find one. Using advanced design tools and 3D printing technology, we then create a prototype that aligns with sustainability goals. The prototype is reviewed with the customer to identify any additional requirements or necessary adjustments. Alwin Koopsen, Manager of Engineering at Hoza, explains how customer ideas are transformed into drawings and prototypes:

“Our engineers at Hoza Logistic Solutions bring ideas to life through 3D drawings and prototypes. Engineers are the core of innovation.”

When Hoza account managers discuss potential collaborations with customers, they establish a Package of Requirements (PvE). This PvE is immediately reviewed with our engineers to see if we have

developed something similar before. If not, and no standard products match, the engineers quickly turn the concept into initial designs. These designs serve as the foundation for creating one or more prototypes. Once the customer approves, we begin production at our advanced facility in Scheemda.

Customer-specific products

Developing tailored solutions often lies in the simplicity of the design. However, these seemingly simple products can require the most detailed development.


One major advantage of having our own production facility is the ability to quickly and efficiently develop solutions. As Alwin emphasizes, “At Hoza, we excel at creating custom solutions and offer great flexibility. The production hall, where designs come to life, is just a few meters from the R&D office.

The benefits of having an in-house production site include:

- Fast response times
- Full control over the process
- Easy adjustments when needed
- Quick delivery of high-quality prototypes

The Importance of prototypes

Prototyping plays a crucial role in identifying potential issues, such as parts that are difficult to produce or assemble. It also allows customers and their internal teams to gain a clearer understanding of the final product and gives them the opportunity to test it within their logistics processes. In essence, prototypes help ensure that the end product is both functional and efficient.



Roll Container Flexo 2-Sided, Nestable, Foldable Plastic Base

804×680×1695 mm

Roll Container 2-Sided

800×700×1770 mm



- ✓ Load capacity: 500 kg
- ✓ Weight: 24 kg
- ✓ Nesting ratio is 5 to 1
- ✓ No assembly

Easy
80%
space
saved
stackable



Repair
service

Check other versions

Article code (SKU)	External dimensions (L×W×H)
NRK02-0003	804×670×1695

Accessories



ACC14-0100
Shelf Flexo
760×677×26 mm




750008
Clamp strap
nylon broad



750004
Clamp strap
rubber

Article code (SKU)	NRK02-0004
Load capacity	500 kg
External dimensions (L×W×H)	804×680×1695
Internal dimensions (L×W×H)	800×634×1460
Weight	24 kg
Material/Finishing	Electro galvanised
Nestable	✓
Foldable	✓
Stackable	✓
Castors	2 fixed and 2 swivel
Castors diameter	100/125 mm
Shelf	Optional

- ✓ Load capacity: 500 kg
- ✓ Nestable design folding bottom with a unique spring loaded lifting system
- ✓ Save space during return transport



Design
service



Rental
service



Repair
service

Article code (SKU)	46500
Load capacity	500 kg
External dimensions (L×W×H)	800×700×1770
Internal dimensions (L×W×H)	800×650×1570
Weight	37 kg
Material/Finishing	Electro galvanised
Nestable	✓
Foldable	✓
Castors	2 fixed and 2 swivel
Castors diameter	100 mm
Shelf	Optional

Accessories



750008
Clamp strap nylon
broad



750004
Clamp strap
rubber

Roll Container 2-Sided, Insert Gates, Flatpack

815×724×1530 mm



- ✓ Load capacity: 500 kg
- ✓ Weight: 18.5 kg
- ✓ Electro galvanised – anti-corrosive
- ✓ Supplied as a flatpack



Repair service

Article code (SKU)	48222
Load capacity	500 kg
External dimensions (L×W×H)	815×724×1530
Internal dimensions (L×W×H)	815×664×1340
Weight	18.5 kg
Material/Finishing	Plastic bottom & metal side fences
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	108 mm
Shelf	Optional

Accessories



750008
Clamp strap nylon broad



750004
Clamp strap rubber

Roll Container 2-Sided, Plastic Base, Demountable

820×720×1700 mm



- ✓ Shelves can be added
- ✓ Weight: 26 kg
- ✓ Load capacity: 500 kg
- ✓ Some assembly may be required



Rental service



Repair service

Article code (SKU)	510001
Load capacity	500 kg
External dimensions (L×W×H)	820×720×1700
Internal dimensions (L×W×H)	820×665×1485
Weight	26 kg
Material/Finishing	Thermally galvanised
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Check other versions

Article code (SKU)	External dimensions (L×W×H)
510000	820×680×1700

Accessories



LGB03-0100
Heavy Duty Shelf



48420
Plastic Shelf
810×680×55 mm



48423
Plastic Shelf
810×660×55 mm



750008
Clamp strap rubber



750004
Clamp strap rubber

Roll Container 2-Sided, Plastic Base 810×720×1620 mm

Roll Container 2-Sided, Wooden Base, Demountable 800×680×1670 mm



- ✓ Shelves can be added
- ✓ Weight: 20 kg
- ✓ Load capacity: 500 kg
- ✓ Some assembly may be required



Repair service

Article code (SKU)	48268
Load capacity	500 kg
External dimensions (L×W×H)	810×720×1620
Internal dimensions (L×W×H)	810×655×1440
Weight	20 kg
Material/Finishing	Plastic base, metal sidegates
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Accessories



48423
Plastic Shelf
810×660×55 mm



750008
Clamp strap
nylon broad



750004
Clamp strap
rubber

- ✓ Load capacity: 450 kg
- ✓ Weight: 24 kg
- ✓ Thermally galvanized - highly rust-resistant
- ✓ Easy to dismantle



Rental service



Repair service

Article code (SKU)	40025
Load capacity	450 kg
External dimensions (L×W×H)	800×680/720×1670
Internal dimensions (L×W×H)	800×660/700×1470
Weight	24 kg
Material/Finishing	Wooden base, 2 metal clamp gates
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	108 mm

Accessories



750008
Clamp strap nylon
broad



750004
Clamp strap
rubber

Roll Container 2-Sided Insert Gates + Tension Straps

810×720×1620 mm



- ✓ High-quality materials
- ✓ Load capacity: 500 kg
- ✓ Easy to use
- ✓ 2 swivel and 2 fixed wheels



Repair
service

Article code (SKU)	40165
Load capacity	500 kg
External dimensions (L×W×H)	810×720×1620
Internal dimensions (L×W×H)	800×680×1470
Weight	28 kg
Material/Finishing	Steel
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Accessories



750008
Clamp strap nylon
broad



750004
Clamp strap
rubber

Roll Container Retail 2-Sided, Nestable/Foldable, Plastic Base

815×680×1701 mm



- ✓ Versatile design
- ✓ Ample storage capacity
- ✓ Lightweight and maneuverable
- ✓ High load capacity



Repair
service

Check other versions

Article code (SKU)	External dimensions (L×W×H)
NRK14-0001	815×680×1551
NRK14-0002	815×680×1651
NRK14-0004	815×680×1751

Article code (SKU)	NRK14-0003
Load capacity	450 kg
External dimensions (L×W×H)	815×680×1701
Internal dimensions (L×W×H)	805×622×1500
Weight	24.6 kg
Material/Finishing	Electro galvanised
Nestable	✓
Foldable	✓
Demountable	✓
Stackable	✓
Castors	2 fixed and 2 swivel
Castors diameter	108 mm
Shelf	Optional

Accessories



750008
Clamp strap nylon
broad



750004
Clamp strap
rubber

Roll Container 2-Sided, Clamping Gates, Tension Straps

870×600×1690 mm

- ✓ Load capacity: 500 kg
- ✓ Weight: 26 kg
- ✓ Hot-dip galvanized - highly corrosion resistant
- ✓ Easy to dismantle



Article code (SKU)	47029
Load capacity	500 kg
External dimensions (L×W×H)	870×600×1690
Internal dimensions (L×W×H)	810×600×1490
Weight	26 kg
Material/Finishing	Hot-dip galvanized
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	108 mm
Shelf	Optional

Accessories



750008
Clamp strap nylon broad



750004
Clamp strap rubber

Roll Container Flexo 3-Sided, Nestable, Foldable Plastic Base

823×680×1695 mm

- ✓ Load capacity: 500 kg
- ✓ Excellent corrosion resistance
- ✓ Nesting, folding, and stacking design



Article code (SKU)	NRK02-9100
Load capacity	500 kg
External dimensions (L×W×H)	823×680×1695
Internal dimensions (L×W×H)	804×634×1460
Weight	31 kg
Material/Finishing	Electro galvanized
Nestable	✓
Foldable	✓
Stackable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Accessories



750008
Clamp strap nylon broad



750004
Clamp strap rubber

Roll Container 3-Sided, Plastic Base, Demountable 820×680×1700 mm

Roll Container Retail 3-Sided, Nestable/Foldable, Plastic Base

815×680×1701 mm



- ✓ Shelves can be added
- ✓ Weight: 31.5 kg
- ✓ Load Capacity: 500 kg
- ✓ Some assembly may be required



- ✓ Load capacity: 450 kg
- ✓ Lightweight and durable
- ✓ Electro galvanized for rust protection
- ✓ Stackable and easy to maneuver



Rental service



Repair service



Repair service

Check other versions

Article code (SKU)	External dimensions (L×W×H)
510003	820×720×1700
510004	820×680×1900
510005	820×720×1900

Check other versions

Article code (SKU)	External dimensions (L×W×H)
NRK14-0005	815×680×1551
NRK14-0006	815×680×1651
NRK14-0008	815×680×1751

Article code (SKU)	510002
Load capacity	500 kg
External dimensions (L×W×H)	820×680×1700
Internal dimensions (L×W×H)	791×625×1485
Weight	31.5 kg
Material/Finishing	Thermally galvanised
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Article code (SKU)	NRK14-0007
Load capacity	450 kg
External dimensions (L×W×H)	815×680×1701
Internal dimensions (L×W×H)	785×622×1500
Weight	29.5 kg
Material/Finishing	Electro galvanized
Foldable	✓
Demountable	✓
Castors	PP
Castors diameter	108 mm
Shelf	Optional

Accessories



LBG04-0100
Metal shelf



750008
Clamp strap nylon broad



750004
Clamp strap rubber

Accessories



750008
Clamp strap nylon broad



750004
Clamp strap rubber

Roll Container 3-Sided, Plastic Base

810×720×1620 mm



- ✓ Shelves can be added
- ✓ Weight: 35 kg
- ✓ Load Capacity: 500 kg
- ✓ Some assembly may be required




Rental service



Repair service

Article code (SKU)	48278
Load capacity	500 kg
External dimensions (L×W×H)	810×720×1620
Internal dimensions (L×W×H)	780×655×1440
Weight	35 kg
Material/Finishing	Plastic base, electro galvanised sidegates
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	108 mm

Accessories



48432
Plastic Shelf
810×660×55 mm



750008
Clamp strap
nylon broad



750004
Clamp strap
rubber

Display Roll Container 3-Sided, 6 Shelves

810×720×1808 mm



- ✓ Equipped With 6 Shelves
- ✓ Load capacity: 500 kg
- ✓ Weight: 40 kg
- ✓ Some assembly may be required



Rental service



Repair service

Article code (SKU)	48300
Load capacity	500 kg
External dimensions (L×W×H)	810×720×1808
Weight	40 kg
Material/Finishing	Plastic Base, Metal sides and shelves
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	108 mm (PP)
Shelf	6 pcs

Display Roll Container 3-Sided, 4 Shelves

810×720×1808 mm

Roll Container 3-Sided, Euro Pallet Size

1350×950×1820 mm



- ✓ Equipped With 4 Shelves
- ✓ Load capacity: 500 kg
- ✓ Weight: 35 kg
- ✓ Some assembly may be required



- ✓ Suitable for Euro pallets
- ✓ Equipped with low noise wheels
- ✓ Load capacity: 800 kg
- ✓ Shelf sold separately



Rental service



Repair service

Article code (SKU)	48300
Load capacity	500 kg
External dimensions (L×W×H)	810×720×1808
Weight	35 kg
Material/Finishing	Plastic base, metal sides and shelves
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	108 mm (PP)
Shelf	4 pcs

Accessories



48455
Metal Shelf
800×660×20 mm



Rental service



Repair service

Article code (SKU)	48279
Load capacity	800 kg
External dimensions (L×W×H)	1350×950×1820
Internal dimensions (L×W×H)	1299×887×1605
Weight	68.8 kg
Material/Finishing	Metal
Demountable	✓
Castors	4 swivel, 2 with brakes
Castors diameter	125 mm Rubber
Shelf	Optional

Accessories



45263
Metal Shelf
1335×875×15 mm

Roll Container Europack 3-Sided, Nestable, with Straps

1200×800×1785 mm



- ✔ Load capacity: 500 kg
- ✔ Durable construction
- ✔ Generous internal space



Article code (SKU)	MOD04-0003
Load capacity	500 kg
External dimensions (L×W×H)	1200×800×1785
Internal dimensions (L×W×H)	1128×774×1572
Weight	62 kg
Material/Finishing	Electro galvanised
Nestable	✔
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Accessories



MOD04-2600
Metal shelf

Roll Container Flexo 4-Sided, Nestable, Foldable Plastic Base

842×680×1695 mm



- ✔ Load capacity: 500 kg
- ✔ Excellent corrosion resistance
- ✔ Nesting, folding, and stacking design



Repair
service

Article code (SKU)	NRK02-9200
Load capacity	500 kg
External dimensions (L×W×H)	842×680×1695
Internal dimensions (L×W×H)	804×634×1460
Weight	37 kg
Material/Finishing	Electro galvanised
Nestable	✔
Foldable	✔
Stackable	✔
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Roll Container 4-Sided, Clampgates, Plastic Base, Demountable

820×680×1700 mm

Roll Container 4-Sided, Folding Gate

810×720×1620 mm



- ✓ Load capacity: 500 kg
- ✓ Corrosion-resistant galvanized finish
- ✓ Sturdy yet lightweight at 37.5 kg
- ✓ Demountable design
- ✓ Customizable with additional shelves



Rental service



Repair service

Article code (SKU)	T0042964
Load capacity	500 kg
External dimensions (L×W×H)	820×680×1700
Internal dimensions (L×W×H)	762×625×1485
Weight	37.5 kg
Material/Finishing	Thermally galvanized
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Accessories



LGB04-0100
Metal shelf



- ✓ Weight: 40 kg
- ✓ Easy to dismantle
- ✓ Suitable for order picking
- ✓ Some assembly may be required



Repair service

Article code (SKU)	48288
Load capacity	500 kg
External dimensions (L×W×H)	810×720×1620
Internal dimensions (L×W×H)	750×655×1440
Weight	40 kg
Material/Finishing	Plastic, electro galvanized gates
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	108 mm (PP)
Shelf	Optional

Roll Container Europack 4-Sided, Nestable, with 2 Doors

1200×800×1785 mm

- ✔ Load capacity: 500 kg
- ✔ Extra-sturdy construction
- ✔ Ample space



Article code (SKU)	MOD04-0002
Load capacity	500 kg
External dimensions (L×W×H)	1200×800×1785
Internal dimensions (L×W×H)	1128×733.5×1572
Weight	75 kg
Material/Finishing	Electro galvanised
Nestable	✔
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Accessories



MOD04-2600
Metal shelf

Roll Container A Frame 2-Sided, Nestable

800×665×1770 mm

- ✔ Load capacity: 500 kg
- ✔ Electro galvanization
- ✔ Easy maneuverability



Article code (SKU)	NRS22-0002
Load capacity	500 kg
External dimensions (L×W×H)	800×665×1770
Internal dimensions (L×W×H)	800×619×1575
Weight	32 kg
Material/Finishing	Electro galvanised
Nestable	✔
Castors	2 fixed and 2 swivel
Castors diameter	100 mm
Shelf	Optional



Roll Container Multy 3-Sided, Plastic Base, Nestable

800×640×1600 mm



- ✓ Space saving
- ✓ Central foot brake
- ✓ Weight: 37 kg
- ✓ Load capacity: 500 kg



Article code (SKU)	NRK03-0001
Load capacity	500 kg
External dimensions (L×W×H)	800×640×1600
Internal dimensions (L×W×H)	786×600×1395
Weight	37 kg
Material/Finishing	Thermically galvanised
Nestable	✓
Castors	2 fixed and 2 swivel with integrated brake system
Castors diameter	125 mm
Shelf	Optional



Rolcontainer 3-Sided, Nestable + Tension Strap

820×655×1900 mm



- ✓ Load capacity: 600 kg
- ✓ Weight: 35 kg
- ✓ Suitable for heavy loads
- ✓ Nestable




Article code (SKU)	46236
Load capacity	600 kg
External dimensions (L×W×H)	820×655×1900
Internal dimensions (L×W×H)	800×610×1700
Weight	35 kg
Material/Finishing	Galvanised Metal
Nestable	✓
Foldable	✓
Castors	2 fixed and 2 swivel
Castors diameter	100 mm
Shelf	Optional



Roll Container 3-Sided, Hot Dip Galvanised, Plywood Base

1020×800×2100 mm



- ✓ Plywood base
- ✓ 125 mm rubber castors
- ✓ Nestable
- ✓ Weight: 35 kg



Article code (SKU)	46237
Load capacity	500 kg
External dimensions (L×W×H)	1020×800×2100
Internal dimensions (L×W×H)	1000×755×1900
Weight	35 kg
Material/Finishing	Galvanized Metal
Nestable	✓
Foldable	✓
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm Rubber
Shelf	Optional



Rental service



Repair service

Roll Container 3-Sided, Nestable 800×600×1700 mm



- ✓ Load capacity: 500 kg
- ✓ Loading area: 740×570 mm
- ✓ Low-noise wheels
- ✓ Weight: 42 kg



Article code (SKU)	74516
Load capacity	500 kg
External dimensions (L×W×H)	800×600×1700
Internal dimensions (L×W×H)	740×570×1460
Weight	42 kg
Material/Finishing	Plastic Base, Metal sides
Nestable	✓
Foldable	✓
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Roll Container 3-Sided, Nestable


1100×800×1700 mm

Roll Container 4-Sided, Nestable

860×737×1676 mm



- ✔ Load capacity: 500 kg
- ✔ Loading area: 1040×770 mm
- ✔ Low-noise wheels
- ✔ Weight: 53 kg



- ✔ 4 Sided with mesh infill
- ✔ Nestable
- ✔ Load capacity: 500 kg
- ✔ Weight: 54 kg



Article code (SKU)	74515
Load capacity	500 kg
External dimensions (L×W×H)	1100×800×1700
Internal dimensions (L×W×H)	1040×770×1460
Weight	53 kg
Material/Finishing	Plastic base, metal sides
Nestable	✓
Foldable	✓
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm
Shelf	Optional

Article code (SKU)	46260
Load capacity	500 kg
External dimensions (L×W×H)	860×737×1676
Internal dimensions (L×W×H)	810×690×1430
Weight	54 kg
Material/Finishing	Galvanized Metal
Nestable	✓
Foldable	✓
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm (PP)



Security Roll Container, Plastic Base, Lockable

810×720×1800 mm

Security Roll Container, Lockable

800×710×1800 mm



- ✓ Easy to dismantle
- ✓ Shelves can be added
- ✓ Weight: 48 kg
- ✓ Load capacity: 500 kg




- ✓ Lockable
- ✓ Full security
- ✓ Weight: 65 kg
- ✓ Load capacity: 500 kg



Article code (SKU)	48253
Load capacity	500 kg
External dimensions (L×W×H)	810×720×1800
Internal dimensions (L×W×H)	760×660×1585
Weight	48 kg
Material/Finishing	Galvanised/Plastic base
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	108 mm
Shelf	Optional

Accessories



40056
Metal Shelf
705×700×20 mm

Article code (SKU)	48255
Load capacity	500 kg
External dimensions (L×W×H)	800×710×1800
Internal dimensions (L×W×H)	765×670×1600
Weight	65 kg
Material/Finishing	Galvanized metal
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm Rubber
Shelf	Optional



Security Roll Container A Frame, Nestable

805×675×1780 mm

Security Roll Container, Nestable, Internal Shelf

860×737×1676 mm

- ✔ Load capacity: 500 kg
- ✔ Excellent corrosion resistance
- ✔ Smooth maneuverability
- ✔ Anti-theft design

- ✔ Fully Enclosed
- ✔ 50×50 mm mesh infill
- ✔ Nestable
- ✔ Weight: 61 kg



Article code (SKU)	NRS02-0001
Load capacity	500 kg
External dimensions (L×W×H)	805×675×1780
Internal dimensions (L×W×H)	800×634×1460
Weight	53 kg
Material/Finishing	Electro galvanised
Nestable	✓
Castors	2 fixed and 2 swivel
Castors diameter	100 mm
Shelf	Optional



Article code (SKU)	46250
Load capacity	500 kg
External dimensions (L×W×H)	805×675×1780
Internal dimensions (L×W×H)	810×690×1430
Weight	60 kg
Material/Finishing	Metal
Nestable	✓
Foldable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm (PP)
Shelf	Included



Security Roll Container, Dual Door, Internal Shelf, Nestable

1200×800×1800 mm

Security Roll Container, Dual Door

1200×800×1870 mm



- ✓ Fully lockable
- ✓ Mesh size: 100×50 mm
- ✓ Weight: 69 kg
- ✓ Load capacity: 500 kg



- ✓ Load capacity: 400 kg
- ✓ Lockable
- ✓ 2 hinged doors
- ✓ Weight: 69 kg



Article code (SKU)	40066
Load capacity	500 kg
External dimensions (L×W×H)	1200×800×1800
Internal dimensions (L×W×H)	1100×800×1526
Weight	69 kg
Material/Finishing	Electro galvanized
Nestable	✓
Foldable	✓
Demountable	✓
Castors	4 swivel
Castors diameter	108 mm
Shelf	Optional



Article code (SKU)	40180
Load capacity	400 kg
External dimensions (L×W×H)	1200×800×1870
Internal dimensions (L×W×H)	1150×750×1630
Weight	69 kg
Material/Finishing	Galvanized Metal
Foldable	✓
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm (PP)
Shelf	Optional



Roll Container 3-Sided, Wooden Base, Nestable

855×800×1900 mm

Order Picking Trolley 3-Sided, Nestable

1350×550×1565 mm



- ✔ Load capacity: 350 kg
- ✔ Sturdy and stable
- ✔ Optional extra shelves



- ✔ Load capacity: 280 kg
- ✔ Generous internal space
- ✔ Smooth maneuverability with 100 mm wheels



Article code (SKU)	NRS24-0001
Load capacity	350 kg
External dimensions (L×W×H)	855×800×1900
Internal dimensions (L×W×H)	780×760×1685
Weight	46 kg
Material/Finishing	Electro galvanised
Nestable	✓
Castors	2 fixed and 2 swivel with integrated brake system
Castors diameter	125 mm
Shelf	Optional



Check other versions

Article code (SKU)	External dimensions (L×W×H)
NRS24-0003	855×680×1700

Article code (SKU)	NRS18-0001
Load capacity	280 kg
External dimensions (L×W×H)	1350×550×1565
Internal dimensions (L×W×H)	1310×530×1377
Weight	58 kg
Material/Finishing	Electro galvanised
Nestable	✓
Castors	2 fixed and 2 swivel
Castors diameter	100 mm
Shelf	2× integrated 1× removable (bottom)

Order Picking Trolley, Folding Steps

1600×640×1800 mm



- ✔ Load capacity: 450 kg
- ✔ Includes 2 internal shelves
- ✔ Folding steps
- ✔ Weight: 67.5 kg




Rental service

Article code (SKU)	40190
Load capacity	450 kg
External dimensions (L×W×H)	1600×640×1800
Weight	67.5 kg
Material/Finishing	Steel
Foldable	✓
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm Rubber
Shelf	✓

Roll Container 3-Sided, 2 Shelves, Mesh Infill

1150×655×1790 mm



- ✔ Equipped with 2 shelves
- ✔ Easy to dismantle
- ✔ Load capacity: 500 kg
- ✔ Weight: 42 kg



Rental service



Repair service

Article code (SKU)	40077
Load capacity	500 kg
External dimensions (L×W×H)	1150×655×1790
Internal dimensions (L×W×H)	750×660×1585
Weight	42 kg
Material/Finishing	Small mesh infill metal
Demountable	✓
Castors	4 swivel
Castors diameter	108 mm (PP)
Shelf	Optional

Accessories



45077
Metal Shelf
1145×650×20 mm

Order Picking Trolley, 8 Compartments

1085x700x1170 mm

- ✓ 8 tray shelves
- ✓ Bright zinc plated
- ✓ Easy to manoeuvre
- ✓ Weight: 30 kg



Article code (SKU)	46390
Load capacity	480 kg
External dimensions (LxWxH)	1085x700x1170
Weight	30 kg
Material/Finishing	Electro galvanised
Demountable	✓
Castors	4 swivel
Castors diameter	100 mm
Shelf	✓



Article code (SKU)	46390EU
Box SKU	64576
Number of boxes	8
Box external dimensions (LxWxH)	600x400x230
Box internal dimensions (LxWxH)	569x366x215
Box Material	PP Plastic
Box Capacity	40 l

Article code (SKU)	46390PI
Box SKU	64590
Number of boxes	8
Box external dimensions (LxWxH)	600x400x230
Box internal dimensions (LxWxH)	569x366x220
Box Material	PP Plastic
Box Capacity	40 l

Article code (SKU)	46390SN
Box SKU	69721
Number of boxes	8
Box external dimensions (LxWxH)	600x400x250
Box internal dimensions (LxWxH)	558x358x235
Box Material	Grey PP
Box Capacity	45 l

Roll Container Euroco 4-Sided, Wooden Base, Nestable, with 4 Doors

1200×1000×1990 mm

- ✔ Load capacity: 600 kg
- ✔ Generous internal space
- ✔ Nestable and maneuverable



Article code (SKU)	NRS13-0005
Load capacity	600 kg
External dimensions (L×W×H)	1200×1000×1990
Internal dimensions (L×W×H)	1061×865.5×1749
Weight	165 kg
Material/Finishing	Electro galvanised
Nestable	✔
Castors	4 swivel
Castors diameter	160 mm
Shelf	Optional



Library Orderpick Trolley, Nestable

1106×630×1360 mm

- ✔ Load capacity: 50 kg per shelf
- ✔ Weight: 72 kg
- ✔ Foldable
- ✔ Equipped with brakes



Article code (SKU)	NRS16-0001
Load capacity	300 kg
External dimensions (L×W×H)	1106×630×1360
Dimensions when folded (L×W×H)	1106×345×1360
Weight	72 kg
Material/Finishing	PC + Electro galvanised
Nestable	✔
Foldable	✔
Stackable	✔
Castors	4 swivel
Castors diameter	125 mm
Shelf	Integrated (6×)



Pallet Repair Roll Cage

1342×800×1711 mm



- ✔ Load capacity: 500 kg
- ✔ Weight: 70 kg
- ✔ Suitable for s5 standard
- ✔ For pallet repairs
- ✔ For timber spare parts



Article code (SKU)	40098
Load capacity	500 kg
External dimensions (L×W×H)	1342×800×1711
Weight	70 kg
Material/Finishing	Powder coated metal
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm Rubber
Shelf	Optional

Isothermal Roll Container, 370 Litres

800×600×1670 mm



- ✔ 270° door opening
- ✔ ATP certified
- ✔ Load capacity: 500 kg
- ✔ Pelican quick release system



Article code (SKU)	40370
Load capacity	500 kg
External dimensions (L×W×H)	800×600×1670
Internal dimensions (L×W×H)	620×435×1350
Weight	83 kg
Material/Finishing	PE
Castors	2 swivel, 2 fixed, sandwich polyamide noise-reducing wheels attached to a plate
Castors diameter	100 mm
Shelf	Optional



Rental service



Repair service

Accessories



40371
Cooling Element
-3°C



40372
Freezing Element
-21°C

Isothermal Roll Container, 563 Litres

715×810×1900 mm



- ✓ 270° door opening
- ✓ EPDM monoblock exterior
- ✓ Load capacity: 500 kg
- ✓ Pelican quick release system



Rental service



Repair service

Article code (SKU)	40580
Load capacity	500 kg
External dimensions (L×W×H)	715×810×1900
Internal dimensions (L×W×H)	550×640×1600
Weight	100 kg
Material/Finishing	PU Insulation Foam
Castors	2 swivel, 2 fixed, sandwich polyamide noise-reducing wheels attached to a plate
Castors diameter	100 mm
Shelf	Optional

Accessories



40581
Cooling Element
-3°C



40582
Freezing Element
-21°C

Isothermal Roll Container, 768 Litres

1000×800×1900 mm



- ✓ 270° door opening
- ✓ EPDM monoblock exterior
- ✓ Load capacity: 500 kg
- ✓ Pelican quick release system



Rental service



Repair service

Article code (SKU)	40780
Load capacity	500 kg
External dimensions (L×W×H)	1000×800×1900
Internal dimensions (L×W×H)	820×610×1420
Weight	137 kg
Material/Finishing	PU Insulation Foam
Castors	2 swivel, 2 fixed, sandwich polyamide noise-reducing wheels attached to a plate
Castors diameter	125 mm
Shelf	Optional

Accessories



40781
Cooling Element
-3°C



40782
Freezing Element
-21°C

Isothermal Roll Container Cover, 2 Zips

820×735×1475 mm



- ✓ High quality insulation cover
- ✓ K-value 11.46 k (W/m²K)
- ✓ Thermal resistance: 0.09 R.
- ✓ 2 side zips



Article code (SKU)	40791
External dimensions (L×W×H)	820×735×1475
Internal dimensions (L×W×H)	815×724×1450
Weight	2.7 kg
Material/Finishing	Pes Foil with 3 mm airfoil

Plant Trolley, 3-Sided, Wooden Base

1320×1032×2112 mm



- ✓ Hot-dip galvanized for corrosion protection
- ✓ Stackable and durable
- ✓ 125 mm wheels for smooth mobility

Article code (SKU)	FLO01-0001
Load capacity	500 kg
External dimensions (L×W×H)	1320×1032×2112
Internal dimensions (L×W×H)	1271×1026×1900
Weight	65 kg
Material/Finishing	Hot dip galvanized
Demountable	✓
Castors	PA
Castors diameter	125 mm
Shelf	Optional



Repair service

Plant Trolley, 3-Sided, Aluminium, Demountable, Stackable

1300×1040×2144 mm



- ✓ Stackable and foldable
- ✓ Integrated 125 mm rubber wheels
- ✓ Durable construction



Article code (SKU)	VRA01-0001
Load capacity	600 kg
External dimensions (L×W×H)	1300×1040×2144
Internal dimensions (L×W×H)	1231×1033×1941
Weight	75 kg
Foldable	✓
Stackable	✓
Castors	Rubber
Castors diameter	125 mm
Shelf	Integrated



Danish Trolley / Plant Trolley, Half Size

715×565×1250 mm



- ✓ Includes 3 shelves
- ✓ Demountable
- ✓ Weight: 18 kg
- ✓ Load capacity: 300 kg



Article code (SKU)	40013
Load capacity	300 kg
External dimensions (L×W×H)	715×565×1250
Internal dimensions (L×W×H)	650×555
Weight	18 kg
Material/Finishing	Galvanised Steel, Water Resistant Plywood
Demountable	✓
Castors	2 swivel, 2 fixed
Castors diameter	125 mm (PP)
Shelf	3 included

Accessories



45013
Shelf



49700
Writing Board



49702
Brake



49701
Blocking Disc



Repair
service

Danish Trolley / Plant Trolley, Half Size

715×565×1900 mm



- ✔ Includes 3 shelves
- ✔ Demountable
- ✔ Weight: 21 kg
- ✔ Load capacity: 300 kg



Article code (SKU)	40014
Load capacity	300 kg
External dimensions (L×W×H)	715×565×1900
Internal dimensions (L×W×H)	650×555
Weight	21 kg
Material/Finishing	Galvanised Steel, Water Resistant Plywood
Demountable	✓
Castors	2 swivel, 2 fixed
Castors diameter	125 mm (PP)
Shelf	3 included



Accessories



- 45013**
Shelf
- 49700**
Writing Board
- 49702**
Brake
- 49701**
Blocking Disc

Danish Trolley / Plant Trolley

1350×565×1900 mm



- ✔ Includes 3 shelves
- ✔ Demountable
- ✔ Weight: 37 kg
- ✔ Load capacity: 350 kg



Article code (SKU)	40027
Load capacity	350 kg
External dimensions (L×W×H)	1350×565×1900
Internal dimensions (L×W×H)	1270×540
Weight	37 kg
Material/Finishing	Galvanised Steel, Water Resistant Plywood
Demountable	✓
Castors	2 swivel, 2 fixed
Castors diameter	125 mm (PP)
Shelf	3 included



Accessories



- 45027**
Shelf
- 49700**
Writing Board
- 49702**
Brake
- 49701**
Blocking Disc
- 45026**
Drip Tray
1260×555×29 mm

Laundry Roll Container, 4-Sided, Folding Gate

800×720×1800 mm



- ✓ Half folding front gate
- ✓ Optimises order picking
- ✓ Extra strong design
- ✓ Load capacity: 400 kg



Article code (SKU)	40187
Load capacity	400 kg
External dimensions (L×W×H)	800×720×1800
Internal dimensions (L×W×H)	740×660×1640
Weight	36 kg
Material/Finishing	Electro galvanised
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm (PP)



Security Laundry Container with Liner, Drop Gate

900×665×1660 mm



- ✓ Fully enclosed
- ✓ Half folding gate
- ✓ Plastic lining
- ✓ Load capacity: 500 kg



Article code (SKU)	40184
Load capacity	500 kg
External dimensions (L×W×H)	900×665×1660
Weight	56 kg
Material/Finishing	Steel
Castors	4 swivel
Castors diameter	150 mm Rubber



Laundry Roll Container, 4-Sided, Fixed Base 900×720×1750 mm



- ✓ 3/4 hinged gate
- ✓ Fixed base with plastic lining
- ✓ Load capacity: 500 kg
- ✓ Weight: 56 kg



Article code (SKU)	40185
Load capacity	500 kg
External dimensions (L×W×H)	900×720×1750
Weight	48 kg
Material/Finishing	Steel
Castors	4 swivel
Castors diameter	150 mm Rubber



Repair
service

Laundry Roll Container, 4-Sided, Folding Gate 1200×800×1800 mm



- ✓ Half folding front gate
- ✓ Optimises order picking
- ✓ Extra strong design
- ✓ Load capacity: 400 kg



Article code (SKU)	40188
Load capacity	400 kg
External dimensions (L×W×H)	1200×800×1800
Internal dimensions (L×W×H)	1140×740×1640
Weight	47 kg
Material/Finishing	Electro galvanised
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm (PP)



Repair
service

Laundry Roll Container, 4-Sided, Folding Gate

1200×1000×1800 mm

- ✓ Half folding front gate
- ✓ Optimises order picking
- ✓ Extra strong design
- ✓ Load capacity: 400 kg



Article code (SKU)	40181
Load capacity	400 kg
External dimensions (L×W×H)	1200×1000×1800
Internal dimensions (L×W×H)	1140×940×1640
Weight	49 kg
Material/Finishing	Electro galvanised
Demountable	✓
Castors	2 fixed and 2 swivel
Castors diameter	125 mm (PP)



Garment Rail, Nestable H Frame

1220×530×1830 mm

- ✓ Nestable design
- ✓ Adjustable centre bar
- ✓ Load capacity: 240 kg
- ✓ Weight: 21 kg



Article code (SKU)	40173
Load capacity	240 kg
External dimensions (L×W×H)	1220×530×1830
Weight	21 kg
Material/Finishing	Galvanised
Castors	4 swivel
Castors diameter	125 mm (PP)



Garment Rail, Nestable Z Frame

500×1220×1800 mm

- ✓ Nestable design
- ✓ Adjustable centre bar
- ✓ Load capacity: 240 kg
- ✓ Weight: 21 kg



Article code (SKU)	40174
Load capacity	240 kg
External dimensions (L×W×H)	500×1220×1800
Weight	21 kg
Material/Finishing	Galvanised
Castors	5 swivel
Castors diameter	126 mm PP



Roll Container Dairy, Nestable

639×415×1199 mm

Roll Container Dairy, Nestable

639×415×1199 mm



- ✓ Electro-galvanized for corrosion protection
- ✓ Nestable and foldable
- ✓ Integrated 100 mm wheels
- ✓ Back loading



- ✓ Electro-galvanized for rust protection
- ✓ Nestable and foldable
- ✓ Integrated 100 mm wheels
- ✓ Front loading



Article code (SKU)	RIC01-0001
Load capacity	450 kg
External dimensions (L×W×H)	639×415×1199
Internal dimensions (L×W×H)	606×385×1041
Weight	38 kg
Material/Finishing	Electro galvanized
Nestable	✓
Foldable	✓
Castors	PA
Castors diameter	100 mm
Shelf	Integrated



Article code (SKU)	RIC03-0001
Load capacity	450 kg
External dimensions (L×W×H)	639×415×1199
Internal dimensions (L×W×H)	606×385×1041
Weight	38 kg
Material/Finishing	Electro galvanized
Nestable	✓
Foldable	✓
Castors	PA
Castors diameter	100 mm
Shelf	Integrated



Roll Container Dairy, Nestable

646×411×1199 mm



- ✓ Electro-galvanized for rust protection
- ✓ Nestable and foldable
- ✓ Integrated 100 mm wheels
- ✓ Front loading



Article code (SKU)	RIC10-0001
Load capacity	450 kg
External dimensions (L×W×H)	646×411×1199
Internal dimensions (L×W×H)	605×389×1048
Weight	38 kg
Material/Finishing	Electro galvanized
Nestable	✓
Foldable	✓
Castors	PA
Castors diameter	100 mm
Shelf	Integrated



Roll Container Food Service, Nestable, Foldable

847×472×1854 mm



- ✓ Load capacity: 500 kg
- ✓ Electra zinc plated for rust protection
- ✓ 2 fixed and 2 swivel elastic rubber wheels
- ✓ Extra narrow trolley



Article code (SKU)	46241
Load capacity	500 kg
External dimensions (L×W×H)	847×472×1854
Internal dimensions (L×W×H)	775×407×1600
Weight	39 kg
Material/Finishing	Electra zinc plated
Nestable	✓
Foldable	✓
Castors	2 fixed and 2 swivel elastic rubber
Castors diameter	125 mm
Shelf	Integrated



Universal Furniture Cart, 800 kg

1200×1150×1850 mm



- ✓ For storage and transport of furniture
- ✓ Collapsible
- ✓ Stackable
- ✓ Weight: 88 kg



Check other versions

Article code (SKU)	External dimensions (L×W×H)
49110	2000×1150×1850
49114	2400×1150×1850

Article code (SKU)	49104
Load capacity	800 kg
External dimensions (L×W×H)	1200×1150×1850
Internal dimensions (L×W×H)	1120×750×1615
Weight	88 kg
Material/Finishing	RAL 5012 Blue
Nestable	✓
Foldable	✓
Stackable	✓
Castors	4 swivel
Castors diameter	125 mm, PA
Shelf	Optional

Universal Mesh Infill Furniture Cart, 800 kg

1200×800×1850 mm



- ✓ For storage and transport of furniture
- ✓ Collapsible
- ✓ Stackable
- ✓ Weight: 79 kg



Check other versions

Article code (SKU)	External dimensions (L×W×H)
49108	1200×1150×1850
49112	2000×1150×1850
49116	2400×1150×1850

Article code (SKU)	49106
Load capacity	800 kg
External dimensions (L×W×H)	1200×800×1850
Internal dimensions (L×W×H)	1120×750×1615
Weight	79 kg
Material/Finishing	RAL 5012 Blue
Nestable	✓
Foldable	✓
Stackable	✓
Castors	4 swivel
Castors diameter	125 mm, PA
Shelf	Optional

Standard Furniture Cart, 600 kg

1300×1150×1800 mm



- ✓ For storage and transport of furniture
- ✓ Collapsible
- ✓ Stackable
- ✓ Weight: 68 kg



Check other versions

Article code (SKU)	External dimensions (L×W×H)
49101	2000×1150×1800
49102	2500×1150×1800

Article code (SKU)	49100
Load capacity	600 kg
External dimensions (L×W×H)	1300×1150×1800
Internal dimensions (L×W×H)	1200×1100×1610
Weight	70 kg
Material/Finishing	RAL 5012 Blue
Nestable	✓
Foldable	✓
Stackable	✓
Castors	4 swivel
Castors diameter	125 mm, PA
Shelf	Optional

Plastic Dolly, Open Grid

610×410×195 mm

- ✓ Weight: 4 kg
- ✓ Strong design
- ✓ Easy to clean
- ✓ Lightweight rolling platform



Article code (SKU)	41530
Load capacity	300 kg
External dimensions (L×W×H)	610×410×195
Weight	4 kg
Material/Finishing	HDPE
Demountable	✓
Stackable	✓
Castors	4 swivel
Castors diameter	100 mm (PP)



Rental service

Check other versions

Article code (SKU)	External dimensions (L×W×H)
41562	610×410×195

Plastic Dolly, Grid Base

600×400×180 mm

- ✓ Load capacity: 160 kg
- ✓ Galvanised fork
- ✓ Streak free wheels
- ✓ Suitable for euro stacking boxes



Article code (SKU)	41535
Load capacity	160 kg
External dimensions (L×W×H)	600×400×180
Weight	3.8 kg
Material/Finishing	PP
Demountable	✓
Stackable	✓
Castors	4 swivel
Castors diameter	100 mm (PP)



Rental service

Plastic Dolly, Open Base

615×415×175 mm



- ✓ Durable design
- ✓ Multi-Functional use
- ✓ Weight: 3.5 kg
- ✓ Lightweight rolling platform

Article code (SKU)	41536
Load capacity	250 kg
External dimensions (L×W×H)	615×415×175
Weight	3.5 kg
Material/Finishing	ABS
Demountable	✓
Stackable	✓
Castors	4 swivel
Castors diameter	100 mm, TPR



[Check other versions](#)



41537
Plastic Dolly, grid base - 615×415×175 mm



41538
Plastic Dolly, closed base - 615×415×175 mm

Furniture Dolly, Non-Slip Closed Base

600×350×145 mm

- ✓ Weight: 6 kg
- ✓ Rubber bumpers
- ✓ Load capacity: 300 kg
- ✓ TPR non-marking wheels



Article code (SKU)	75014
Load capacity	300 kg
External dimensions (L×W×H)	600×350×145
Weight	6 kg
Material/Finishing	Black rubber non-slip
Demountable	✓
Stackable	✓
Castors	4 swivel
Castors diameter	100 mm TPR

Wooden Dolly with Anti-Slip Lining

720×480×150 mm

- ✓ Weight: 4 kg
- ✓ Strong dolly
- ✓ Anti-slip lining
- ✓ Easy to clean



Article code (SKU)	41901
Load capacity	350 kg
External dimensions (L×W×H)	720×480×150
Weight	4 kg
Material/Finishing	Polyester Anti-Slip Lining
Demountable	✓
Stackable	✓
Castors	4 swivel
Castors diameter	100 mm (PP)



Metal Dolly, Open Base, for Nestable Boxes

773×577×155 mm

- ✓ Durable design
- ✓ Load capacity: 500 kg
- ✓ Weight: 6 kg
- ✓ For use with nestable distribution boxes



Article code (SKU)	41500
Load capacity	500 kg
External dimensions (L×W×H)	773×577×155
Weight	6 kg
Material/Finishing	Galvanised
Demountable	✓
Stackable	✓
Castors	2 swivel with brake and 2 fixed
Castors diameter	125mm PP



Metal Dolly, Open Base

675×415×205 mm

- ✓ Load capacity: 250 kg
- ✓ Suitable for Euro stacking containers
- ✓ Loading area is 605×410 mm
- ✓ Weight: 9 kg



Article code (SKU)	75012
Load capacity	250 kg
External dimensions (L×W×H)	675×415×205
Weight	9 kg
Material/Finishing	RAL 5010
Demountable	✓
Stackable	✓
Castors	4 swivel, 2 with brake
Castors diameter	125mm TPR

Plastic Dolly, Open Base

810×610×195 mm

- ✓ Weight: 5 kg
- ✓ Strong design
- ✓ Easy to clean
- ✓ Suitable for the food industry



Article code (SKU)	41560
Load capacity	300 kg
External dimensions (L×W×H)	810×610×195
Weight	5 kg
Material/Finishing	Virgin HDPE
Demountable	✓
Stackable	✓
Castors	4 swivel
Castors diameter	100 mm (PP)



Metal Dolly, Open Base, TPR Wheels

1270×870×350 mm

- ✓ Equipped with a central footbrake
- ✓ Load capacity: 500 kg
- ✓ Weight: 32 kg
- ✓ Suitable for Europallets and Gitterboxes



Article code (SKU)	41541
Load capacity	500 kg
External dimensions (L×W×H)	1270×870×350
Weight	32 kg
Material/Finishing	RAL 5010
Demountable	✓
Stackable	✓
Castors	4 swivel, 2 with brake
Castors diameter	200 mm rubber

Check other versions


Article code (SKU)	External dimensions (L×W×H)
41540	1270×1070×350

Metal Glass-And Window Rack

2000×900×2200 mm



- ✓ Fork guides
- ✓ Extra anti-corrosion metal
- ✓ Weight: 135 kg
- ✓ Rubber glass protection strips



Design
service

Accessories



STA0001
Clamping Bar
with Strap for
Glass Stillages
2370×30×30 mm


Article code (SKU)	GB0010
Load capacity	1500 kg
External dimensions (L×W×H)	2000×900×2200
Internal dimensions (L×W×H)	2000×900×1950
Weight	135 kg
Material/Finishing	Metal - Hot Dip Galvanised

Metal Glass-And Window Rack

2200×1100×2030 mm



- ✓ Fork guides
- ✓ Extra anti-corrosion metal
- ✓ Weight: 135 kg
- ✓ Rubber glass protection strips



Design
service

Accessories



STA0001C
Clamping Bar
with Strap for
Glass Stillages
1970×30×30 mm


Article code (SKU)	GB0008
Load capacity	1500 kg
External dimensions (L×W×H)	2200×1100×2030
Internal dimensions (L×W×H)	2000×1100×1800
Weight	135 kg
Material/Finishing	Metal - Hot Dip Galvanised

Metal Glass and Window Rack

2000×900×2171 mm



- ✓ Brake castor wheels
- ✓ Extra anti-corrosion metal
- ✓ Weight: 130 kg
- ✓ Rubber glass protection strips



Design
service

Accessories



STA0001C
Clamping Bar
with Strap for
Glass Stillages
1970×30×30 mm


Article code (SKU)	GB0009
Load capacity	1500 kg
External dimensions (L×W×H)	2000×900×2171
Internal dimensions (L×W×H)	2000×900×1811
Weight	130 kg
Material/Finishing	Metal - Hot Dip Galvanised

Metal Glass and Window Rack

2000×1000×2550 mm



- ✓ Has fork guides
- ✓ Extra anti-corrosion metal
- ✓ Weight: 150 kg
- ✓ Rubber glass protection strips



Repair
service



Design
service

Accessories



STA0001
Clamping Bar
with Strap for
Glass Stillages
2370×30×30 mm


Article code (SKU)	GB0001
Load capacity	2000 kg
External dimensions (L×W×H)	2000×1000×2550
Internal dimensions (L×W×H)	2000×1000×2250
Weight	150 kg
Material/Finishing	Metal - Hot Dip Galvanised

Metal Glass-And Window Rack

2500×1400×2770 mm



- ✓ Fork guides
- ✓ Extra anti-corrosion metal
- ✓ Weight: 155 kg
- ✓ Rubber glass protection strips



Design service

Accessories

Article code (SKU)	KB0003
Load capacity	1500 kg
External dimensions (L×W×H)	2500×1400×2770
Internal dimensions (L×W×H)	2500×1400×2500
Weight	155 kg
Material/Finishing	Metal - Hot Dip Galvanised




STA0002
Spring Bracket
Clamping Bar for
Glass Stillages
2259×30×30 mm

Metal Glass-And Window Rack

3000×1200×2780 mm



- ✓ Fork guides
- ✓ Extra anti-corrosion metal
- ✓ Weight: 203 kg
- ✓ Rubber glass protection strips



Design service

Accessories

Article code (SKU)	KB0001
Load capacity	2000 kg
External dimensions (L×W×H)	3000×1200×2780
Internal dimensions (L×W×H)	3000×1200×2500
Weight	203 kg
Material/Finishing	Metal - Hot Dip Galvanised



STA0002
Spring Bracket
Clamping Bar for
Glass Stillages
2259×30×30 mm

Metal Transport Box with 2 Doors

1200×1200×2295 mm



- ✔ Load capacity: 1000 kg
- ✔ Weight: 155 kg
- ✔ Powder-coated for durability
- ✔ Large storage space



Article code (SKU)	BOM04-0001
Load capacity	1000 kg
External dimensions (L×W×H)	1200×1200×2295
Internal dimensions (L×W×H)	1130×1130×2150
Weight	155 kg
Material/Finishing	Powder coating



Design service



Repair service

Metal Box, Wooden Base, Stackable

1200×800×1288.5 mm



- ✔ Load capacity: 500 kg
- ✔ Robust construction
- ✔ Generous internal space
- ✔ Stackable and demountable



Article code (SKU)	BOM16-0001
Load capacity	500 kg
External dimensions (L×W×H)	1200×800×1288.5
Internal dimensions (L×W×H)	1130×800×1130
Weight	50 kg
Material/Finishing	Hot dip galvanised
Demountable	✔
Stackable	✔
Shelf	Option



Design service



Repair service

Accessories



BOM160001-02
Wooden bottom plate

Metal Box, Foldable, Stackable

1200×1000×1288 mm



- ✔ Load capacity: 500 kg
- ✔ Sturdy and reliable
- ✔ Generous internal space
- ✔ Corrosion protection
- ✔ Collapsible and stackable



Article code (SKU)	BOM17-0001
Load capacity	500 kg
External dimensions (L×W×H)	1200×1000×1288
Internal dimensions (L×W×H)	1096×946.5×1074
Weight	80 kg
Material/Finishing	Electro galvanised
Foldable	✓
Stackable	✓



Metal Box, Wheel/Roll Carrier, Stackable

1137×1137×875 mm



- ✔ Load capacity: 1000 kg
- ✔ Extremely stable
- ✔ Generous storage space
- ✔ Corrosion protection
- ✔ Stackable



Article code (SKU)	BLKASM0022
Load capacity	1000 kg
External dimensions (L×W×H)	1137×1137×875
Internal dimensions (L×W×H)	960×960
Weight	140 kg
Material/Finishing	Electro galvanised
Stackable	✓



Metal Battery Box, Stackable

2255×1055×570 mm

- ✔ Load capacity: 1000 kg
- ✔ Sturdy and durable
- ✔ Generous internal space
- ✔ Stackable



Article code (SKU)	BOM12-0001
Load capacity	1000 kg
External dimensions (L×W×H)	2255×1055×570
Internal dimensions (L×W×H)	2120×920×350
Weight	105 kg
Material/Finishing	Thermically galvanised
Stackable	✔



Aircraft Tyre Rack, Stackable

1507×1680×1724 mm

- ✔ Two tyre slots
- ✔ Load capacity: 1000 kg
- ✔ Stackable
- ✔ Closed ramps



Article code (SKU)	50920
Load capacity	1000 kg
External dimensions (L×W×H)	1507×1680×1724
Internal dimensions (L×W×H)	1328×1500×1470
Weight	329 kg
Material/Finishing	Powder coating
Stackable	✔



Check other versions

Article code (SKU)	External dimensions (L×W×H)
50930	2210×1380×1424
77920	1200×1600×1200

Epal Gitterbox Pallet

1240×835×970 mm



- ✓ UIC Standard 435-3
- ✓ Ideal for storing heavy items
- ✓ 2 Folding gates on one side
- ✓ Weight: 85 kg



Design
service



Rental
service



Repair
service

Check other versions

Article code (SKU)	External dimensions (L×W×H)
75000U	1240×835×970

Accessories

Article code (SKU)	75000
Load capacity	1500 kg
External dimensions (L×W×H)	1240×835×970
Internal dimensions (L×W×H)	1210×795×810
Weight	85 kg
Material/Finishing	RAL7030
Demountable	✓
Stackable	✓



41541
Metal Dolly
1270×870×350 mm
– Open Base,
TPR Wheels

Foldable Metal Cage Pallet Stillage

1240×830×970 mm



- ✓ Practical Design
- ✓ Q235 steel wire
- ✓ 2 Folding gates on one side
- ✓ Weight: 85 kg



Design
service



Rental
service



Repair
service

Accessories

Article code (SKU)	75020
Load capacity	1000 kg
External dimensions (L×W×H)	1240×830×970
Internal dimensions (L×W×H)	1180×780×800
Weight	85 kg
Material/Finishing	Powder coated RAL 7030
Foldable	✓
Demountable	✓
Stackable	✓



41541
Metal Dolly
1270×870×350 mm
– Open Base,
TPR Wheels

Wire Mesh Pallet Cage, Foldable

800×600×700 mm



- ✓ Space saving
- ✓ Load capacity: 300 kg
- ✓ Foldable and stackable
- ✓ Hinged window on the long side



Article code (SKU)	76600
Load capacity	300 kg
External dimensions (L×W×H)	800×600×700
Internal dimensions (L×W×H)	726×569×571
Weight	30 kg
Material/Finishing	Galvanised
Foldable	✓
Demountable	✓
Stackable	✓




Wire Mesh Pallet Cage, Foldable

1200×800×1000 mm



- ✓ Space saving
- ✓ Load capacity: 600 kg
- ✓ Foldable and stackable
- ✓ Hinged window on the long side




Article code (SKU)	76821
Load capacity	600 kg
External dimensions (L×W×H)	1200×800×1000
Internal dimensions (L×W×H)	1126×769×872
Weight	43 kg
Material/Finishing	Galvanised
Foldable	✓
Demountable	✓
Stackable	✓



Wire Mesh Pallet Cage, Foldable

1200×1000×1000 mm



- ✔ Space saving
- ✔ Load capacity: 500 kg
- ✔ Foldable and stackable
- ✔ Hinged window on the long side



Article code (SKU)	76196
Load capacity	500 kg
External dimensions (L×W×H)	1200×1000×1000
Internal dimensions (L×W×H)	1126×969×872
Weight	43 kg
Material/Finishing	Galvanised
Foldable	✓
Demountable	✓
Stackable	✓




Wire Mesh Pallet Cage, Foldable

1200×1000×1200 mm



- ✔ Space saving
- ✔ Load capacity: 600 kg
- ✔ Foldable and stackable
- ✔ Hinged window on the long side



Article code (SKU)	76120
Load capacity	600 kg
External dimensions (L×W×H)	1200×1000×1200
Internal dimensions (L×W×H)	1160×960×1020
Weight	57 kg
Material/Finishing	Galvanised
Foldable	✓
Demountable	✓
Stackable	✓




Wire Mesh Display Pallet Roll Cage, Foldable

1000×610×1040 mm



- ✓ 2 tail lifts
- ✓ Load capacity: 500 kg
- ✓ Suitable for store displays
- ✓ Streak-free wheels



Article code (SKU)	46381
Load capacity	500 kg
External dimensions (L×W×H)	1000×610×1040
Internal dimensions (L×W×H)	960×580×870
Weight	31 kg
Material/Finishing	Galvanised
Foldable	✓
Demountable	✓



Metal Pallet Converter, Galvanised, Foldable

1200×800×800 mm



- ✓ Window on 1 long side
- ✓ Foldable & space saving
- ✓ Strong, durable structure
- ✓ Weight: 23 kg
- ✓ Suitable for Epal Europallet



Article code (SKU)	77808
External dimensions (L×W×H)	1200×800×800
Weight	23 kg
Material/Finishing	Galvanised
Foldable	✓
Demountable	✓
Stackable	✓



Check other versions

Article code (SKU)	External dimensions (L×W×H)
77815	1200×800×1000
77817	1200×800×1200

Metal Pallet Converter, Green, Foldable

1200×800×800 mm



- ✓ Window on 1 long side
- ✓ Foldable & space saving
- ✓ Strong, durable structure
- ✓ Weight: 23 kg
- ✓ Suitable for Epal Europallet



Article code (SKU)	77809
External dimensions (L×W×H)	1200×800×800
Weight	23 kg
Material/Finishing	Coated, green RAL 6017
Foldable	✓
Demountable	✓
Stackable	✓



Check other versions

Article code (SKU)	External dimensions (L×W×H)
77816	1200×800×1000
77818	1200×800×1200

Metal Pallet Converter, Blue, Foldable

1200×800×800 mm



- ✓ Window on 1 long side
- ✓ Foldable & space saving
- ✓ Load capacity: 1000 kg
- ✓ Weight of 24.5 kg
- ✓ Suitable for Epal Europallet



Article code (SKU)	77832
External dimensions (L×W×H)	1200×800×800
Weight	24.5 kg
Material/Finishing	RAL 5012
Foldable	✓
Demountable	✓
Stackable	✓



Check other versions

Article code (SKU)	External dimensions (L×W×H)
77830	1200×800×1600

Metal Pallet Converter, Blue, Top Edge Support 1200×800×800 mm



- ✓ 2 Stacking supports
- ✓ Foldable
- ✓ Stackable
- ✓ Weight: 26.5 kg
- ✓ Suitable for Epal Europallet



Article code (SKU)	77860
External dimensions (L×W×H)	1200×800×800
Weight	26.5 kg
Material/Finishing	RAL 5012
Foldable	✓
Demountable	✓
Stackable	✓

Check other versions

Article code (SKU)	External dimensions (L×W×H)
77862	1200×1000×800



Design
service

Metal Pallet Converter, Top Clamping Function 1200×800×800 mm



- ✓ For Euro Pallets
- ✓ Foldable
- ✓ Stackable
- ✓ Weight: 26.5 kg
- ✓ Suitable for Epal Europallet



Article code (SKU)	77861
External dimensions (L×W×H)	1200×800×800
Weight	26.5 kg
Material/Finishing	RAL 5012
Foldable	✓
Demountable	✓
Stackable	✓

Check other versions

Article code (SKU)	External dimensions (L×W×H)
77863	1200×1000×800



Design
service

Metal Pallet Converter, V Opening

1200×800×800 mm



- ✓ V Opening
- ✓ Foldable
- ✓ Stackable
- ✓ Weight: 22.5 kg
- ✓ Suitable for Epal Europallet

Article code (SKU)	77865
External dimensions (L×W×H)	1200×800×800
Weight	22.5 kg
Material/Finishing	RAL 5012
Foldable	✓
Demountable	✓
Stackable	✓



Design
service

Check other versions

Article code (SKU)	External dimensions (L×W×H)
77866	1200×1000×800

Demountable Post Pallet, Single Base

1545×1180×310 mm



- ✓ Flexible storage
- ✓ TÜV certified
- ✓ Space saving
- ✓ Suitable for storage and transport

Article code (SKU)	50100
Load capacity	1500-2000 kg
External dimensions (L×W×H)	1545×1180×310
Internal dimensions (L×W×H)	1300×935
Weight	33 kg
Material/Finishing	Hot-dip galvanised
Nestable	✓
Demountable	✓
Stackable	✓



Design
service



Rental
service



Repair
service

Accessories



51105

Galvanised Tube for Stacking Racks 1050 mm

51150

Galvanised Tube for Stacking Racks 1500 mm

51168

Galvanised Tube for Stacking Racks 1680 mm

51190

Galvanised Tube for Stacking Racks 1900 mm

51210

Galvanised Tube for Stacking Racks 2100 mm

Demountable Post Pallet with Multiplex Base, Single Base

1545×1180×310 mm



- ✓ Space saving flexible storage
- ✓ Weight: 41 kg
- ✓ Suitable for storage and transport
- ✓ Does not include stacking tubes



Design
service



Rental
service



Repair
service

Article code (SKU)	50110
Load capacity	1500-2000 kg
External dimensions (L×W×H)	1545×1180×310
Internal dimensions (L×W×H)	1300×935
Weight	41 kg
Material/Finishing	Hot-dip galvanised/ Multiplex
Nestable	✓
Demountable	✓
Stackable	✓

Accessories



51105 Galvanised Tube for Stacking Racks 1050 mm	51150 Galvanised Tube for Stacking Racks 1500 mm	51168 Galvanised Tube for Stacking Racks 1680 mm	51190 Galvanised Tube for Stacking Racks 1900 mm	51210 Galvanised Tube for Stacking Racks 2100 mm
--	--	--	--	--

Demountable Post Pallet with Wire Mesh Grid, Single Base

1545×1180×310 mm



- ✓ 50×50 mm wire mesh
- ✓ TÜV certified
- ✓ Space-saving
- ✓ Suitable for storage and transport



Design
service



Rental
service



Repair
service

Article code (SKU)	50113
Load capacity	1500-2000 kg
External dimensions (L×W×H)	1545×1180×310
Internal dimensions (L×W×H)	1300×935
Weight	33 kg
Material/Finishing	Hot-dip galvanised
Nestable	✓
Demountable	✓
Stackable	✓

Accessories



51105 Galvanised Tube for Stacking Racks 1050 mm	51150 Galvanised Tube for Stacking Racks 1500 mm	51168 Galvanised Tube for Stacking Racks 1680 mm	51190 Galvanised Tube for Stacking Racks 1900 mm	51210 Galvanised Tube for Stacking Racks 2100 mm
--	--	--	--	--

Metal Storage Rack, Stackable

2025×1180×310 mm

- ✓ Flexible storage
- ✓ TÜV certified
- ✓ Space saving
- ✓ Suitable for storage and transport



Article code (SKU)	50200
Load capacity	1000–2000 kg
External dimensions (L×W×H)	2025×1180×310
Internal dimensions (L×W×H)	1780×935
Weight	42 kg
Material/Finishing	Hot-dip galvanised
Nestable	✓
Demountable	✓
Stackable	✓

Accessories



51105 Galvanised Tube for Stacking Racks 1050 mm	51150 Galvanised Tube for Stacking Racks 1500 mm	51168 Galvanised Tube for Stacking Racks 1680 mm	51190 Galvanised Tube for Stacking Racks 1900 mm	51210 Galvanised Tube for Stacking Racks 2100 mm
--	--	--	--	--

Demountable Post Pallet with Multiplex Base, Double Base

1850×1035×310 mm

- ✓ Space saving flexible storage
- ✓ Weight: 62.5 Kg
- ✓ Suitable for storage and transport
- ✓ Does not include stacking tubes



Article code (SKU)	50210
Load capacity	1000–2000 kg
External dimensions (L×W×H)	1850×1035×310
Internal dimensions (L×W×H)	1780×935
Weight	62.5 kg
Material/Finishing	Hot-dip galvanised
Nestable	✓
Demountable	✓
Stackable	✓

Accessories



51105 Galvanised Tube for Stacking Racks 1050 mm	51150 Galvanised Tube for Stacking Racks 1500 mm	51168 Galvanised Tube for Stacking Racks 1680 mm	51190 Galvanised Tube for Stacking Racks 1900 mm	51210 Galvanised Tube for Stacking Racks 2100 mm
--	--	--	--	--

Demountable Post Pallet with Wire Mesh Grid, Double Base

2025×1180×310 mm



- ✓ 50×50mm wire mesh
- ✓ TÜV certified
- ✓ Space-saving
- ✓ Suitable for storage and transport



Article code (SKU)	50213
Load capacity	1000–2000 kg
External dimensions (L×W×H)	2025×1180×310
Internal dimensions (L×W×H)	1780×935
Weight	42 kg
Material/Finishing	Hot-dip galvanised
Nestable	✓
Demountable	✓
Stackable	✓



Accessories



51105 Galvanised Tube for Stacking Racks 1050 mm	51150 Galvanised Tube for Stacking Racks 1500 mm	51168 Galvanised Tube for Stacking Racks 1680 mm	51190 Galvanised Tube for Stacking Racks 1900 mm	51210 Galvanised Tube for Stacking Racks 2100 mm
--	--	--	--	--

Big Bag Stacking Rack, Top and Base

1120×1120×310 mm



- ✓ Flexible storage
- ✓ Various height possible
- ✓ Suitable for storage and transport
- ✓ Price is for top and base only (tubes and bag not included)



Article code (SKU)	50300
Load capacity	1200 kg
External dimensions (L×W×H)	1120×1120×310
Internal dimensions (L×W×H)	950×950
Weight	40 kg
Material/Finishing	Hot-dip galvanised
Nestable	✓
Demountable	✓
Stackable	✓



Accessories




51105 Galvanised Tube for Stacking Racks 1050 mm	51150 Galvanised Tube for Stacking Racks 1500 mm	51168 Galvanised Tube for Stacking Racks 1680 mm	51190 Galvanised Tube for Stacking Racks 1900 mm	51210 Galvanised Tube for Stacking Racks 2100 mm
--	--	--	--	--

Tyre Rack for Car Tyres

2343×1078×787 mm



-  Foldable
-  Load capacity: 300 kg
-  Stackable up to 9 racks
-  Space for a double row of tyres



Article code (SKU)	53003
Load capacity	300 kg
External dimensions (L×W×H)	2343×1078×787
Internal dimensions (L×W×H)	2165×895
Weight	75 kg
Material/Finishing	RAL 5010 Powder coating
Nestable	✓
Foldable	✓
Stackable	✓




Tyre Rack for Truck Tyres

2343×1078×1207 mm



-  Foldable
-  Load capacity: 550 kg
-  Stackable up to 7 racks
-  Space for a double row of tyres



Article code (SKU)	53005
Load capacity	550 kg
External dimensions (L×W×H)	2343×1078×1207
Internal dimensions (L×W×H)	2165×895
Weight	84 kg
Material/Finishing	RAL 5010 Powder coating
Nestable	✓
Foldable	✓
Stackable	✓



Tall Tyre Rack for Car Tyres

2395×1250×2205 mm



- ✓ Foldable
- ✓ Load capacity: 1000 kg
- ✓ Stackable up to 4 racks
- ✓ Durable construction



Article code (SKU)	53187
Load capacity	1000 kg
External dimensions (L×W×H)	2395×1250×2205
Internal dimensions (L×W×H)	2213×1065
Weight	128 kg
Material/Finishing	RAL 5010 Powder coating
Nestable	✓
Foldable	✓
Stackable	✓


Design
service


Rental
service


Repair
service

Roll Container Cover, Transparent

820×730×1460 mm

- ✓ No Zips
- ✓ Weight: 0.15 kg
- ✓ Plastic
- ✓ Price is per box (40 pcs)



Article code (SKU)	40810
External dimensions (L×W×H)	820×730×1460
Weight	0.15 kg
Material/Finishing	Transparent plastic
Number of pieces in the box	40

Check other versions

Article code (SKU)	External dimensions (L×W×H)
40808	820×730×1650

Roll Container Cover, Opaque White

820×730×1460 mm

- ✓ No Zips
- ✓ Weight: 0.16 kg
- ✓ Plastic
- ✓ Price is per box (40 pcs)



Article code (SKU)	40809
External dimensions (L×W×H)	820×730×1460
Weight	0.16 kg
Material/Finishing	Opaque white plastic
Number of pieces in the box	40

Check other versions

Article code (SKU)	External dimensions (L×W×H)
40807	820×730×1650

Roll Container Cover, Opaque White, 2 Zips

820×730×1460 mm

Fabric Roll Cage Trolley Door, PVC, Document Pocket

1500×600 mm



- ✔ 2 Side zips
- ✔ Weight: 1.1 kg
- ✔ PE plastic
- ✔ Multiple use cover



- ✔ Document pocket
- ✔ 3 fastening straps
- ✔ Suitable when nested
- ✔ Alternative to metal gate reducing weight



Article code (SKU)	40793
External dimensions (L×W×H)	820×730×1460
Weight	1.1 kg
Material/Finishing	High-quality PE plastic for multiple uses

Check other versions

Article code (SKU)	External dimensions (L×W×H)
40792	820×730×1650

Article code (SKU)	40815
External dimensions (L×W×H)	1500×600
Weight	1.0 kg
Material/Finishing	PVC 550 g/m ²

Check other versions

Article code (SKU)	External dimensions (L×W×H)
40816	1500×600



Fabric Roll Cage Trolley Door, PVC Mesh, Document Pocket

1500×600 mm



- ✓ Document pocket
- ✓ 3 fastening straps
- ✓ Suitable when nested
- ✓ Alternative to metal gate reducing weight



Design
service

Article code (SKU)	40817
External dimensions (L×W×H)	1500×600
Weight	0.75 kg
Material/Finishing	PVC coated polyester mesh

Check other versions

Article code (SKU)	External dimensions (L×W×H)
40818	1500×600

Polyamide (PA) castors and wheels

Wheels

	SKU	Diameter	Load capacity	Temperature range
	48440	100 mm	450 kg	-30° C – +80° C
	48444	125 mm	700 kg	
	48448	150 mm	900 kg	
	48452	200 mm	1200 kg	

Fixed

	SKU	Diameter	Load capacity	Temperature range
	48150	100 mm	150 kg	-40° C – +80° C
	48152	125 mm	200 kg	
	48209	108 mm	200 kg	-40° C – +80° C
	48162	125 mm	200 kg	-20° C – +80° C
	48442	100 mm	500 kg	-30° C – +80° C
	48446	125 mm	500 kg	
	48450	150 mm	700 kg	
	48454	200 mm	1000 kg	
	48458	65 mm	800 kg	-30° C – +80° C
	48460	80 mm		
	48463	100 mm		
	48468	125 mm		

Swivel

		SKU	Diameter	Load capacity	Temperature range
	Swivel Castor, PA, Roller Bearing	48151	100 mm	150 kg	-40°C – +80°C
		48153	125 mm	200 kg	
	Swivel Castor with Ball Bearing, Blue PA	48208	108 mm	200 kg	-40°C – +80°C
	Swivel Castor with Roller Bearing, Grey PA	48163	125 mm	200 kg	-20°C – +80°C
	Swivel Castor, Ball Bearing	48441	100 mm	500 kg	-30° C – +80° C
		48445	125 mm	500 kg	
		48449	150 mm	700 kg	
		48453	200 mm	1000 kg	
	Swivel Castor, Ball Bearing	48459	80 mm	800 kg	-30° C – +80° C
		48457	65 mm		
		48462	100 mm		
		48466	125 mm		

Swivel with Brake

		SKU	Diameter	Load capacity	Temperature range
	Swivel Castor with Brake, PA, Roller Bearing	48175	100 mm	150 kg	-40°C – +80°C
		48169	125 mm	200 kg	
	Swivel Castor with brake PA, Ball Bearing	48443	100 mm	500 kg	-30° C – +80° C
		48447	125 mm	500 kg	
		48451	150 mm	700 kg	
		48456	200 mm	1000 kg	
	Swivel Castor with brake PA, Ball Bearing	48461	80 mm	800 kg	-30° C – +80° C
		48465	100 mm		
		48469	125 mm		

Polypropylen (PP) castors

Fixed

		SKU	Diameter	Load capacity	Temperature range
	Fixed Castor with Roller Bearing, PP	49995	100	100 kg	-6°C – +80°C
		48164	108	150 kg	-20°C – +60°C
		48146	125		

Swivel

		SKU	Diameter	Load capacity	Temperature range
	Swivel Castor with Roller Bearing, PP	49994	100	100 kg	-6°C – +80°C
		48165	108	150 kg	-20°C – +60°C
		48147	125	150 kg	-40°C – +80°C

Swivel with Brake

		SKU	Diameter	Load capacity	Temperature range
	Swivel Castor, Braked with Roller Bearing, PP	48175	100	150 kg	-40°C – +80°C
		48184	108	150 kg	-20°C – +60°C
		48169	125	200 kg	-40°C – +80°C

Polyurethane (PU) castors and wheels

Wheels

	SKU	Diameter	Load capacity	Temperature range
	48244	125 mm	500 kg	-20°C – +60°C
	48408	125 mm	400 kg	
	48412	150 mm	650 kg	-30° C – +80° C
	48416	200 mm	1100 kg	
	48400	150 mm	250 kg	-20°C – +70°C
	48404	200 mm	450 kg	

Fixed

	SKU	Diameter	Load capacity	Temperature range
	48142	100 mm	150 kg	-30°C – +80°C
	48160	125 mm	200 kg	
	48245	100 mm	250 kg	-20°C – +60°C
	48241	125 mm	500 kg	-20°C – +60°C
	48410	125 mm	400 kg	-20°C – +70°C
	48414	150 mm	500 kg	
	48418	200 mm	700 kg	-20° C – +80° C
	48402	150 mm	250 kg	-20° C – +70° C
	48406	200 mm	450 kg	

Swivel

	SKU	Diameter	Load capacity	Temperature range
	48143	100 mm	150 kg	-30°C – +80°C
	48161	125 mm	200 kg	
	48246	100 mm	250 kg	-20°C – +60°C
	48242	125 mm	500 kg	-20°C – +60°C
	48409	125 mm	400 kg	-30°C – +80°C
	48413	150 mm	500 kg	
	48417	200 mm	700 kg	-20°C – +70°C
	48401	150 mm	250 kg	-20° C – +70° C
	48405	200 mm	450 kg	

Swivel with Brake

	SKU	Diameter	Load capacity	Temperature range
	48144	100 mm	150 kg	-30°C – +80°C
	48174	125 mm	200 kg	
	48247	100 mm	250 kg	-20°C – +60°C
	48243	125 mm	500 kg	-20°C – +60°C
	48411	125 mm	400 kg	-30°C – +80°C
	48415	150 mm	500 kg	
	48419	200 mm	700 kg	-20° C – +80° C
	48403	150 mm	250 kg	-20° C – +70° C
	48407	200 mm	450 kg	

Rubber castors and wheels

Wheels

	SKU	Diameter	Load capacity	Temperature range
	48470	160 mm	300 kg	-20° C – + 70° C
	48474	200 mm	450 kg	
	48478	250 mm	530 kg	
	48481	200 mm	400 kg	-20° C – + 70° C

Fixed

	SKU	Diameter	Load capacity	Temperature range
	48158	100 mm	100 kg	-
	48120	100 mm	135 kg	-6° C – +80° C
	48124	125 mm	160 kg	
	48154	100 mm	160 kg	-20° C – +80° C
	48156	125 mm	200 kg	
	49954	160 mm	300 kg	
	48201	125 mm	200 kg	-16° C – +80° C
	48472	160 mm	400 kg	20° C – + 70° C
	48476	200 mm	500 kg	
	48480	250 mm	500 kg	
	48483	200 mm	400 kg	-20° C – + 70° C

Swivel

	SKU	Diameter	Load capacity	Temperature range
	48159	100 mm	100 kg	-
	48121	100 mm	135 kg	-6° C – +80° C
	48125	125 mm	160 kg	
	48155	100 mm	160 kg	-20° C – +80° C
	48157	125 mm	200 kg	
	49953	160 mm	300 kg	
	48199	125 mm	200 kg	-16° C – +80° C
	48471	160 mm	400 kg	-20° C – + 70° C
	48475	200 mm	500 kg	
	48479	250 mm	500 kg	
	48482	200 mm	400 kg	-20° C – + 70° C

Swivel with Brake

		SKU	Diameter	Load capacity	Temperature range
	Swivel Castor, Braked with Ball Bearing, PP/TPR	48122	100 mm	135 kg	-6°C – +80°C
	Swivel Castor, Braked with Ball Bearing, PP/TPR	48126	125 mm	160 kg	-6°C – +80°C
	Swivel Castor, Braked with Ball Bearing, PA/Rubber	48181	100 mm	160 kg	-20°C – +80°C
		48172	125 mm	200 kg	
		49955	160 mm	300 kg	
	Swivel Castor, Braked with Ball Bearing, PA/Rubber	48149	125 mm	200 kg	-16°C – +80°C
	Swivel Castor with brake elastic rubber, Ball Bearing	48473	160 mm	400 kg	-20° C – + 70° C
		48477	200 mm	500 kg	
	Swivel Castor with brake elastic rubber, Ball Bearing	48484	200 mm	400 kg	-20° C – + 70° C


Hoza

Logistic solutions

Hoza Logistic solutions
Haven Noordzijde 18
9679 TC Scheemda
Nederland

+31 (0)597 59 31 31
info@hoza.nl

hoza.nl



COPYRIGHTS HOZA 2024